

**Amendments to the Claims:**

1. (Cancelled)
2. (Currently Amended) ~~The An image outputting system according to claim 1,~~  
~~wherein: the outputting apparatus further comprises, comprising:~~  
an image outputting apparatus including:  
a reading device which reads an image;  
a printing device which prints the image;  
a network connecting device connectable to an external device via a  
network;  
a temperature measuring device which measures temperature in proximity  
to the printing device; and  
a correcting device which corrects printing color, based on printing color  
correcting information of printing paper characteristics and the measured  
temperature; and  
a network server connected to the network for controlling the printing device by  
sending the printing color correcting information to the image outputting apparatus via  
the network  
~~the correcting device corrects printing color based on the measured temperature.~~

3. (Currently Amended) The image outputting system according to claim 2, wherein the image outputting apparatus sends to the network server via the network, data of the measured temperature, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.

4. (Currently Amended) The image outputting system according to claim 2 4, ~~wherein: the image outputting apparatus further comprises~~ comprising:

a temperature measuring device which measures the temperature in proximity to the printing device; and

the correcting device corrects printing color based on the history of the measured temperature.

5. (Currently Amended) The image outputting system according to claim 4, wherein the image outputting apparatus sends to the network server via the network, data of the measured temperature, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.

6. (Currently Amended) ~~The~~ An image outputting system according to ~~claim 1,~~  
~~wherein: the image outputting apparatus further comprises~~ comprising:

an image outputting apparatus including:

a reading device which reads an image;

a printing device which prints the image;

a network connecting device connectable to an external device via a  
network;

a humidity measuring device which measures humidity in proximity to the  
printing device; and

a correcting device which corrects print color, based on printing color  
correcting information and the measured humidity;

a network server connected to the network for controlling the printing device by  
sending the printing color correcting information to the image outputting apparatus via  
the network

~~the correcting device corrects printing color based on the measured temperature.~~

7. (Currently Amended) The image outputting system according to claim 6,  
wherein the image outputting apparatus sends to the network server via the network,  
data of the measured humidity, and the network server sends the printing color  
correcting information to the image outputting apparatus based on the received data.

8. (Currently Amended) The image outputting system according to claim 6 4,  
~~wherein: the image outputting apparatus further comprises~~ comprising:

a humidity measuring device which measures humidity in proximity to the printing  
device; and

the correcting device corrects printing color based on a history of the measured humidity.

9. (Currently Amended) The image outputting system according to claim 8, wherein the image outputting apparatus sends to the network server via the network, data of the measured humidity, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.

10. (Currently Amended) ~~The~~ An image outputting system ~~according to claim 1,~~  
~~wherein: the image outputting apparatus further comprises~~ comprising:

an image outputting apparatus including:

a reading device which reads an image;

a printing device which prints the image;

a network connecting device connectable to an external device via a network; and

a printing paper to be fed to the printing device; and

a paper information detecting device which reads printing characteristics information of the printing paper; and

a correcting device which corrects print color, based on printing color correcting information of the read printing characteristics information of the printing paper;

a network server connected to the network for controlling the printing device by sending the printing color correcting information to the image outputting apparatus via the network

~~the correcting device corrects printing color based on the read printing characteristics.~~

11. (Currently Amended) The image outputting system according to claim 10, wherein the image outputting apparatus sends to the network server via the network, data of the printing characteristic information of the printing paper, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.

12. (New) The image outputting apparatus according to claim 2, wherein the image is a photographic image or characters from a handwritten document.

13. (New) The image outputting apparatus according to claim 6, wherein the image is a photographic image or characters from a handwritten document.

14. (New) The image outputting apparatus according to claim 10, wherein the image is a photographic image or characters from a handwritten document.

15. (New) The image outputting system according to claim 10, further comprising:  
a temperature measuring device which measures temperature in proximity to the printing device; and  
the correcting device corrects printing color based on the measured temperature.

16. (New) The image outputting system according to claim 15, wherein the image outputting apparatus sends to the network server via the network, data of the measured temperature, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.

17. (New) The image outputting system according to claim 10, further comprising:  
a temperature measuring device which measures temperature in proximity to the printing device; and  
the correcting device corrects printing color based on the history of the measured temperature.

18. (New) The image outputting system according to claim 17, wherein the image outputting apparatus sends to the network server via the network, data of the

measured temperature, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.

19 (New) The image outputting system according to claim 10, further comprising:

a humidity measuring device which measures humidity in proximity to the printing device; and

the correcting device corrects printing color based on the measured humidity.

20. (Currently Amended) The image outputting system according to claim 19, wherein the image outputting apparatus sends to the network server via the network, data of the measured humidity, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.

21. (Currently Amended) The image outputting system according to claim 10, further comprising:

a humidity measuring device which measures humidity in proximity to the printing device; and

the correcting device corrects printing color based on a history of the measured humidity.

22. (Currently Amended) The image outputting system according to claim 21, wherein the image outputting apparatus sends to the network server via the network, data of the measured humidity, and the network server sends the printing color correcting information to the image outputting apparatus based on the received data.